# Aggregates Epoxy Resin PORCELAIN COAL GLASS Metal CERAMIC Process difficult materials with ease. Iton Shot ZINC CEMENT Inon Shot Batteries

**WA Series** 

**Gravity Discharge** 

Hammer Mill





## Your custom made worker.

Our extensive experience gives us the ability to uniquely **custom configure our size reduction mills to suit you,** your application, and your production goals. The **WA Series** is a conventional gravity discharge hammer mill that can be constructed with

a wide variety of grinding rotors and screen configurations to guarantee unmatched

performance. Available in **more than 20 sizes** ranging from 6" to 60", each mill features

replaceable liner plates to protect the mill housing from wear. Custom in-feed and discharge

chutes are designed to accommodate any method of feeding and take-away, ensuring

a clean and safe operating environment.





Zinc

Coconut shells

Radiators

Palm kernel shells

# For rugged durability, this is the one.

If you grind materials that are difficult or abrasive, you know how important mill durability is.

The WA Series handles it all with **rugged construction through and through.** Due to its simplicity and flexibility the WA Series can be highly customized, meaning your mill will perform optimally and with longer life because it's made for your specific application.

### **Typical Applications:**

- Aggregates
- Batteries
- Bone meal
- Cement
- Ceramics

- Coal and coke
- E-scrap
- Fish meal
- Glass
- Hard resins

- Hard surface products
- Lathe turnings
- Metals
- Miscellaneous chemicals
- Stone

### WA Series Industrial Hammer Mills Technical Specifications

Models	Housing	Shaft Diameter	Rotor Diameter	Bearing Size	Wear Plate Thickness	RPM Range	Horsepower Range
WA-6-H WA-8-L	3/8" (10mm)	1 3/8" (35mm)	9" (230mm)	1 3/16" (30mm)	3/8" (10mm)	1500-5000 rpm	2-3 hp (1-2 kW)
WA-8-H WA-12-L WA-16-L	3/8" (10mm)	2 1/2" (60mm)	16" (410mm)	1 7/16" (40mm)	3/8" (10mm)	700-3600 rpm	10-25 hp (7-20 kW)
WA-12-H WA-16-H WA-20-L WA-25-L	1/2" (12mm)	2 1/2" (60mm)	18" (460mm)	1 15/16" (50mm)	1/2" (12mm)	600-3000 rpm	15-50 hp (10-40 kW)
WA-20-H WA-25-H	5/8" (15mm)	3 3/8" (85mm)	24" (610mm)	2 7/16" (60mm)	5/8" (15mm)	500-2800 rpm	25-75 hp (20-60 kW)
WA-30-L WA-36-L	3/4" (20mm)	4 3/8" (110mm)	26" (660mm)	2 15/16" (70mm)	3/4" (20mm)	500-2400 rpm	50-100 hp (40-70 kW)
WA-30-H WA-36-H WA-40-L WA-50-L WA-60-L	1" (25mm)	5 1/2" (140mm)	30" (760mm)	3 1/2" (90mm)	1" (25mm)	500-1800 rpm	75-200 hp (60-150 kW)
WA-40-H WA-50-H WA-60-H	1 1/4" (32mm)	6 11/16" (170mm)	40" (1015mm)	4 3/4" (120mm)	3/4" (20mm)	500-1200 rpm	125-300 hp (90-220 kW)



85 years of expertise. Designed, custom engineered and manufactured for customers worldwide. We've been the trusted leader for size reduction equipment since 1928.

At work, with more than 16,000 installations, in 54 countries around the globe. It's durability through quality and more productivity through efficiency. The perfect blend of time-proven technology with cutting-edge innovation for today's rapidly-changing applications.

Schutte-Buffalo Hammermill.

Aggregates Epoxy Resin PORCELAIN
COAL GLASS Metal CERAMIC
Lathe Turnings Iron Shot ZINC
CEMENT Batteries
SHELLS/HUSKS



61 Depot Street Buffalo, New York 14206 716-855-1555 1-800-447-4634

E-mail: info@hammermills.com

www.hammermills.com